## INDEX TO VOLUME XXXI

- Abib, Odinete Rende Quelques propriétés sur le normalisateur d'un pseudogroupe de Lie transitif, 124-129.
- Allegreto, Walter Lower bounds on the number of points in the lower spectrum of elliptic operators, 419-426
- Anderson, D. D. and Matijevic, J. Graded a-rings, 449-457
- Anderson, D. D., Johnson, E. W. and Johnson, J. A. Noether lattices representable as quotients of the lattice of monomially generated ideals of polynomial rings, 789-799
- Auslander, M., Bautista, R., Platzeck, M. I., Reiten, I. and Smale, S. O. Almost split sequences whose middle term has at most two indecomposable summands, 942–960
- Babai, L., Frankl, P., Kollar, J. and Sabidussi, G. Hamiltonian cubic graphs and centralizers of introducious, 458-464
- Baird, Bridget B. Inverse semigroups of homeomorphisms are Hopfian, 900-807
- Barrett, Wayne W. An alternative approach to Laguerre polynomial identities in combinatorics, 312-319
- Baumgartner, J., Erdüs, P., Galvin, F. and Larson, J. Colorful partitions of cardinal numbers, 524-541
- Bautista, R., Auslander, M., Platzeck, M. I., Reiten, I. and Smalø, S. O. Almost split sequences whose middle term has at most two indecomposable summands, 942-960
- Benkart, G. M. and Isaacs, I. M. Lie algebras with nilpotent centralizers, 929-941
- Bernstein, Leon Periodic algorithms and their application, 565-595.
- Bisztriczky, Tibor Biplanar surfaces of order three, 396-418
- Brownawell, W. Dale A measure of linear independence for some exponential functions II, 341-346
- Brunner, A. M. and Burns, R. G. Groups in which every finitely generated subgroup is almost a free factor, 1329–1338
- Bruns, Gunter Block-finite orthomodular lattices, 961-985
- Burbea, Jacob Projections on Bergman spaces over plane domains, 1269-1280
- Burns, R. G. and Brunner, A. M. Groups in which every finitely generated subgroup is almost a free factor, 1329-1338
- Butler, G. J. The existence of continuable solutions of a second order differential equation: errotum, 448
- Cassidy, C. et Hilton, P. J. L'isolateur d'un homomorphisme de groupes, 375-301
- Castro, Alfonso A semilinear Dirichlet problém, 337-340
- Chacron, M. Unitaries in simple artinian rings, 542-557
- Choi, Man-Duen A simple Co-algebra generated by two finite-order unitaries, 867-880
- Chong, Kong-Ming An inductive rearrangement theorem, 184-188
- Choo, Seki A. Strict topology on spaces of continuous vector-valued functions, 800-806
- Cordes, Craig M. and Ramsey, John R. Jr. Quadratic forms over quadratic extensions of fields with two quaternion algebras, 1047-1058
- Dang-Ngoc, Nghiem A remark on disintegrations with almost all components non e-additive, 786-788
- Day, Alan Characterizations of finite lattices that are bounded-homomorphic images or sublattices of free lattices, 60-78
- Deveney, James K. and Mordeson, John N. The order of inseparability of fields, 688-662

Devlin, Keith J. and Shelah, Saharon A note on the normal Moore space conjecture, 241–251
Ditzian, Z. On global inverse theorems of Sudsa and Bashakov operators, 255–263
Drake, David A. Partial λ-geometries and generalized Hadamard matrices over groups, 617–627

Jol

Jø Ju

Ka

Kr

Ki

La

La

La

L

LA

L

L

M

M

M

M

M

M

M

MMM

N

N

N

€

Ellers, Erich W. Factorisation of affinities, 354-362

Erdos, P., Baumgartner, J., Galvin, F. and Larson, J. Colorful partitions of cardinal numbers, 526-541

Fack, Th. et Marechal, O. Sur la classification des symétries de C\*-algèbres UHF, 496-523
Farkas, Daniel R. Baire category and Laurent extensions, 824-830

Fisher, Joe W. Chain conditions for modular lattices with finite group actions, \$58-564

Fletcher, P. and Lindgren, W. F. A theory of uniformities for generalized order spaces, 35-44

Fong, C. K. and Sourour, A. R. On the operator identity  $\Sigma A_R X B_R \equiv 0$ , 845-857

Fong, Humphrey Ratio and stochastic ergodic theorems for superadditive processes, 441-447

Forelli, Frank Some extreme rays of the positive pluriharmonic functions, 9-16

Frankl, P., Babni, L., Kollar, J. and Sabidumi, G. Hamiltonian cubic graphs and centralizers of invalidities. 408-404

Galoin F., Baumgartner, J., Erdon, P. and Larson, J. Colorful partitions of cardinal numbers, 524-541

Gardner, L., Terrell An inequality characteriess the trace, 1322-1328

Gervais, Jean-Jacques Criterès de G-stabilité en termes de teansvertalité, 264-273

Gilligan, B. and Huckleberry, A. Remarks on k-Leviflat complex manifolds, 881-890

Giroux, A., Rahman, Q. I. and Schmeisser, G. Ou Bernstein's inequality, 347-353

Glass, A. M. W. Compatible tight Riese orders 11, 304-307

Goulden, I. P. and Jackson, D. M. Sequence enumeration and the de Bruijn-van Aardenne-Ehrenfost-Smith-Tutte theorem, 488-495

Greiner, Peter C<sub>1</sub> A fundamental solution for a nonelliptic partial differential operator, 1107– 1190

Grispolakis, J. and Tymchatyn, E. D. Embedding smooth deadroids in hyperspaces, 130-138
Grispolakis, J., Nadler, Sam B. Jr. and Tymchatyn, E. D. Some properties of hyperspaces with applications to continua theory, 197-210

Gunther, Georg and Nolte, Wolfgang Defining relations in orthogonal groups of characteristic two, 1217-1246

Hagelgans, Nancy L. Local spaces with three cells as H-spaces, 1283-1306

Hager, Anthony W. and Robertson, Lewis C. On the embedding into a ring of an Archimedian I-group, 1-8

Harary, F. and Robinson, R. W. Labelled bipartite blacks, 60-68

Heath-Brown, D. R. The density of zeros of Dirichlet's L-functions, 231-240

Henson, C. Ward Analytic sets, Baire sets and the standard part map, 663-672

Herrlich, H., Salicrup, G. and Vazquez, R. Dispersed factorization structures, 1059-1071

Hilton, P. J. et Cassidy, C. L'isolateur d'un komomorphisme de groupes, 375-301

Hoare, A. H. M. Coinitial graphs and Whitehead automorphisms, 112-123

Huckleberry, A. and Gilligan, B. Remarks on b-Leviflat complex manifolds, 881-880

Isaacs, I. M. and Benkhart, G. M. Lie algebras with milpotent controliners, 929-941

Jackson, D. M. and Goulden, I. P. Sequence enumeration and the de Bruijn-van Aardenne-Ehrenfest-Smith-Tutte theorem, 488–495

Jacoba, Barry E. a-speedable and non a-speedable sets, 282-299

Jalarian, Ali A. Algebras intertwining normal and decomposable operators, 1330-1344

Johnson, E. W., Anderson, D. D. and Johnson, J. A. Noether lattices representable as quotients of the lattice of monomially generated ideals of polynomial rings, 789-799 Johnson, J. A., Anderson, D. D. and Johnson, E. W. Noether lattices representable as quotients of the lattice of monomially generated ideals of polynomial rings, 780-799

Jargensen, Truels Comments on a discreteness condition for subgroups of SL(2,C), 87-92

Junnila, Heikki J. K. On countability of point-finite families of sets, 673-679

Kato, Akio Union of real compact spaces and Lindelöf spaces, 1247-1268

27

99,

of

71,

7-

rick.

fac.

200

900

Knüppel, Frieder and Kunze, Michael Neighber relation and neighbor homomorphism of Hjelmslev groups, 680-680

Kollar, J., Babni, L., Frankl, P. and Sabidussi, G. Hamiltonian cubic graphs and centralizers of involutions, 438-646

Kunze, Michael and Knüppel, Frieder Neighbor relation and neighbor homomorphism of Hjolmslev groups, 680-689

Labesse, J-P. and Langlands, R. P. L-indistinguishability for SL(2), 726-785

Langlands, R. P. Stable conjugacy: definitions and lemmas, 700-725

Langlands, R. P. and Labesse, J-P. L-indistinguishability for SL(2), 726-785

Langlands, R. P. On the seta-functions of some simple Shimura varieties, 1121-1216

Larson, J., Baumgartner, J., Erdos, P. and Galvin, F. Colorful partitions of cardinal numbers, 524-541

Lemire, F. and Pap, M. H-finite irreducible representations of simple Lie algebras, 1064-1106

Lester, J. A. Transformations of n-spaces which preserve a fixed square-distance, 302-305

Lewis, Wayne Stable homeomorphisms of the pseudo-arc, 363-374

Lindgren, W. F. and Fletcher, P. A theory of uniformities for generalized ordered spaces, 35-44

MacDonald, Roderick N. S. Representable dualities between finitely closed subcategories of modules, 465-475

Marechal, O. et Fack, Th. Sur la classification des symétries de C\*-algèbres UHF, 496-523

Marshall, Murray Classification of finite spaces of orderings, 320-330

Marshall, Murray Quotients and inverse limits of spaces of orderings, 604-616

Martin, John R. and Nadler, Sam B. Jr. Examples and questions in the theory of fixed point sets, 1017-1032

Matijevic, J. and Anderson, D. D. Graded v-rings, 449-457

Mattson, Don A. Discrete subsets of preximity spaces, 225-230

May, Warren Multiplicative groups under field extension, 436-440

McClure, J. P. and Wong, R. Infinite systems of differential equations, II, 596-603.

McCoy, Peter A. Polynomial approximation and growth of generalized axisymmetric potentials, 49-59

McDonald, Gerard The maximal ideal space of H" + C on the ball in C", 79-86

McLeish, Mary On the number of conjugates of N-ary quasigroups, 637-654

Millet, Annie and Sucheston, Louis Characterizations of Vitali conditions with overlap in terms of convergence of classes of amarts, 1033-1046

Montgomery, H. L. and Vaughan, R. C. Mean values of character sums, 476-487

Mordeson, John N. and Deveney, James K. The order of inseparability of fields, 655-662

Morgan, C. L. On counting types of symmetries in finite unitary reflection groups, 252-254

Nadler, Sam B. Jr., Grispolakis, J. and Tymchatyn, E. D. Some properties of hyperspaces with applications to continua theory, 197-210

Nadler, Sam B. Jr. and Martin, John R. Examples and questions in the theory of fixed point sets, 1017-1032

Nolte, Qolfgang and Gunther, Georg Defining relations in orthogonal groups of characteristic two, 1217-1246

Nyman, T. and Whaples, G. Simple algebras over rational function fields, 831-835

Olin, Robert F. and Thomson, James E. Lifting the commutant of a subnormal operator, 148-156 Pap, M. and Lemire, F. H-finite irreducible representations of simple Lie Algebras, 1084-1106.
Phillips, John and Raeburn, Iain Perturbations of AF-algebras, 1012-1016.

Perkel, Manley Bounding the valency of pulygonal graphs with odd girth, 1307-1321

Platreck, M. I., Auslander, M., Bautista, R., Reitan, I. and Smale, S. O. Almost split sequences whose middle term has at most two indocomposable summands, 942–960

va va Va

Va

Va

W

W

W

W

Pokrass, David Levitski radical for certain varieties, 1005-1011

Putcha, Mohan S. Subgroups of the power semigroup of a finite temigroup, 1077-1063

Raeburn, Iain and Phillips, John Perturbations of AF-algebras, 1012-1016

Rahman, Q. I., Giroux, A. and Schmeisser, G. On Bernstein's inequality, 347-353

Ramory, John R. Jr., and Corden, Craig, M. Quadratic forms over quadratic extensions of fields with two quaternion algebras, 1047-1668

Raphael, Marc and Sember, John The unrestricted section properties of sequences, 331-336

Reich, Daniel On certain palynomials of Gaussian type, 274-281

Reiner, Irving Lifting isomorphisms of modules, 808-811

Reiten, I., Auslander, M., Bautista, R., Platzeck, M. I. and Smals, S. O. Almost split sognences whose middle term has at most two indecomposable summands, 942–960

Repka, Jon Tensor products of holomorphic discrete series representations, 838-944

Rich, Michael Some radical properties of Jordan matrix rings, 180-196

Rival, Ivan and Sands, Bill Planar sublattices of a free lattice, II, 17-34

Robertson, Lewis C. and Hager, Anthony W. On the embedding into a ring of an Archimodian 1-group, 1-8

Robinson, R. W. and Harary, F. Labelled bipartite blacks, 60-68

Rossman, W. The structure of semisimple symmetric spaces, 157-180

Subichemi, G., Babai, L., Frankl, P. and Kollar, J. Hamiltonian cubic graphs and centralizers of incubations, 458–464

Sands, Bill and Rival, Ivan Planar sublattices of a free lattice, II, 17-34

Salicrup, G., Herrlich, H. and Vazquez, R. Dispersed factorisation structures, 1000-1071

Schill, J. L. On a class of analytic functions of Smirnov, 181-183

Schmeisser, G., Giroux, A. and Rahman, Q. 1. On Bernstein's inequality, 347-353.

Sember, John and Raphael, Marc The unrestricted section properties of sequences, 231-336

Shar, Albert O. Localization, algebraic loops and H-spaces I 427-435

Shar, Albert O. Localization, algebraic loops and H-spaces II, 812-817

Shelah, Saharon and Devlin, Keith J. A note on the normal Moore space conjecture, 241-251

Shork, F. A. Indicator sets in an affine space of any dimension, 211-224

Smals, S. O., Auslander, M., Bautista, R., Platseck, M. I. and Reiten, I. Almost split sequences whose middle term has at most two indecomposable summands, 942-960

Smith, P. F. Rings characterised by their cyclic modules, 93-111

Sourour, A. R. and Fong, C. K. On the operator identity ZAgXBg = 0, 845-857

Spiegel, Eugene and Teojan, Allan The Schur subgroup of a p-adic field, 300-303

Steiner, R. J. The group of units in h-theory modulo an odd prime, 915-928

Stewart, C. L. and Tijdeman, R. On infinite-difference sets, 807-910

Stewart, James Fourier transforms of unbounded measures, 1281-1292

Sucheston, Louis and Millet, Annie Characterizations of Vitali conditions with overlap in terms of convergence of classes of amorts, 1033-1046

Sullivan, Francis A generalisation of uniformly rotund Banach spaces, 626-637

Thomas, M. P. Invariant complements to closed invariant subspaces, 130-147

Thomson, James E. and Olin, Robert F. Lifting the commutant of a subnormal operator, 148-156

Tijdeman, R. and Stewart, C. L. On infinite-difference sets, 897-910

Trojan, Allan and Spiegel, Eugene The Schur subgroup of a p-adic field, 300-303

Tutte, W. T. Combinatorial oriented maps, 986-1004

Tymchatyn, E. D. and Grispolakis, J. Embodding smooth dendroids in hyperspaces, 130-138

Tymchatyn, E. D., Geispolakis, J. and Nadler, Sam B. Jr. Some properties of hyperspaces with applications to continue theory, 197-210

Tymchatyn, E. D., Grispolakis, J. and Nadler, Sam B. Jr. Some properties of hyperspaces with applications to continua theory, 197-210

van Douwen, Erik K. A basically disconnected normal space  $\Phi$  with  $p\Phi - \Phi = 1$ , 911-914 van Mill, Jan Not every  $k_1$ -embedded subspace is  $k_2$ -embedded, 818-823 Vanstone, S. A. The asymptotic behaviour of equidistant permutation arrays, 45-48 Vaughan, R. C. and Montgomery, H. L. Moun values of character sums, 476-487 Varques, R. Herrlich, H. and Salicrup, G. Disposed factorisation structures, 1059-1071

000

E@3

of

res

100

s of

0000

156

8

Wade, William R. Sets of uniqueness for the group of integers of a p-series field, 858-866 Whaples, G. and Nyman, T. Simple algebras over rational function fields, 831-835 Winter, David J. Solvable subgroups and their Lie algebras in characteristic p, 308-311 Wong, R. and McClure, J. P. Infinite systems of differential equations, 11, 596-603